

Domestic Violence Homicide

5-Year Trends: 2018-2022





INTRODUCTION

Domestic violence and related homicides are serious public health concerns. Prior to the COVID-19 pandemic, more than 10 million women and men in the United States experienced physical violence by a current or former partner each year;1 approximately **one in four women** and nearly one in seven men experienced severe physical violence by a partner at some point in their lifetime.² Locally, an estimated **39 percent** of women in DC had been physically or sexually assaulted or stalked by an intimate partner in their lifetime.³

More recently, pandemic-related lockdowns and adjacent stressors have caused those numbers to spike-particularly for victims and survivors of intimate partner violence. A combination of factors, including isolation from community, constant close quarters, economic instability, and medical anxiety, contributed to an alarming rise in domestic violence incidence around the world.⁴ Criminal justice researchers estimate

U.S. rates rose 8 percent during this time.5

The personal and societal costs, both emotional and financial, are hard to overstate. And in too many cases, this violence is a precursor to homicide: from 2018-2022, **7.9 percent** of homicides in the District were attributable to domestic violence.⁶ As homicides in the District have steadily increased, mirroring national trends, so too have the number of domestic violence-related homicides.⁷

The Domestic Violence Fatality Review Board (DVFRB) works to prevent intimate partner and other domestic violence homicides in the District by improving the response of individuals, the community, and government agencies to domestic violence.8 Data in this fiveyear trends report are based on the DVFRB's

National Intimate Partner and Sexual Violence Survey (NISVS): General Population Survey Raw Data, 2010, https://doi.org/10.3886/ICPSR34305.v1

Black, M.C., et al. (2011). The National Intimate Partner and Sexual Violence Survey (NISVS): 2010 Summary Report. Atlanta, GA: National Center for Injury Prevention and Control, Centers for Disease Control and Prevention, 43, https://www.cdc.gov/violenceprevention/pdf/nisvs_report2010-a.

Smith, S.G., et al. (2017). The National Intimate Partner and Sexual Violence Survey (NISVS): 2010-2012 State Report. Atlanta, GA: National Center for Injury Prevention and Control, Centers for Disease Control and Prevention, 128, https://www.cdc.gov/violenceprevention/pdf/nisvsstatereportbook.pdf

⁴ UN Women, "Issue Brief: COVID-19 and Ending Violence Against Women and Girls," Gender-Based Violence 1 (2020). https://www.unwomen.org/ en/digital-library/publications/2020/04/issue-brief-covid-19-and-ending-violence-against-women-and-girls

Piquero, Alex R., Wesley G. Jennings, et al. (March 2021). Domestic Violence During COVID-19: Evidence from a Systematic Review and Meta-Analysis. Washington, D.C.: Council on Criminal Justice. https://build.neoninspire.com/counciloncj/wp-content/uploads/sites/96/2021/07/ Domestic-Violence-During-COVID-19-February-2021.pdf

⁶ This figure excludes domestic violence-related homicide of child victims.

MPD. (2022). "District Crime Data at a Glance." https://mpdc.dc.gov/page/district-crime-data-glance; FBI, "Crime Data Explorer," 2017-2020, https://crime-data-explorer.app.cloud.gov/pages/explorer/crime/crime-trend

⁸ D.C. Code §16-1052

expert analysis of available police, court, medical, and media records.9


Between 2018-2022, there were **75 homicides** in the District of Columbia that were determined to be linked to domestic violence. The DVFRB aggregates information on these domestic violence homicides, then classifies them as intimate partner-related homicide (IPH) or non-intimate partner-related homicide (non-IPH).

Because its main goal is to prevent future domestic violence deaths by identifying previous gaps in services and issuing recommendations for improvement, the DVFRB closely examines the District's intimate partner homicides. Unlike other domestic violence homicides, intimate partner homicides tend

to follow similar patterns and, therefore, can benefit from systemic prevention efforts. A well-developed body of scientific research surrounding intimate partner fatality risk factors and prevention strategies guides the Board's review of these cases.

One risk factor receiving renewed attention is pregnancy: 4 of the 75 domestic violencerelated homicides were of women who were pregnant or had recently given birth, averaging almost one maternal homicide per year. The full scope of the number of children directly impacted from domestic violence-related homicides is currently unknown.

To review recent DVFRB findings and recommendations, please refer to the Board's latest Annual Report, available from the Office of Victim Services and Justice Grants.10



Domestic Violence Fatalities Defined

According to DC Code § 16-1051, a "domestic violence fatality" is a homicide that occurs under any of the following circumstances:

- The alleged perpetrator and victim resided together at any time;
- The alleged perpetrator and victim have a child in common;
- The alleged perpetrator and victim were married, divorced, separated, or had a romantic relationship, not necessarily including a sexual relationship;
- The alleged perpetrator is or was married to, divorced, or separated from, or in a romantic relationship, not necessarily including a sexual relationship, with a person who is or was married to, divorced, or separated from, or in a romantic relationship, not necessarily including a sexual relationship, with the victim;

- The alleged perpetrator had been stalking the victim;
- The victim filed a petition for a protective order against the alleged perpetrator at any time;
- The victim resided in the same household, was present at the workplace of, was in proximity of, or was related by blood or affinity to a person who experienced or was threatened with domestic violence by the alleged perpetrator; or
- The victim or the perpetrator was or is a child, parent, sibling, grandparent, aunt, uncle, or cousin of a person in a relationship that is described within this subsection.

Types of Domestic Violence Homicide


Intimate Partner Homicide (IPH)	Non-Intimate Partner Homicide (Non-IPH)
Current spouse	Parent, child, sibling, other family
Former spouse	3rd-party to current/former intimate partner
Current intimate partner (unmarried)	Roommate
Former intimate partner (unmarried)	Landlord/tenant


DOMESTIC VIOLENCE HOMICIDE 5-Year Trends: 2018-2022

The District of Columbia had 75 domestic violence homicides from 2018-2022.

Victims and perpetrators of domestic violence homicide ranged broadly in age from their teens through 80s.

For victims, the median age was **35** and the average was **39**. For perpetrators, the median age was **32** and the average was **36**.






Both women (45%) and men (55%) were victims of domestic violence homicide. Men made up 92% of known perpetrators.


Most victims and perpetrators were Black.
All but three domestic violence homicides were intraracial.

(Term *Hispanic* based on MPD data collection category)

DV Victims by Gender & Race




DV Perpetrators by Gender & Race




Just under half of domestic violence homicides were perpetrated by current or former intimate partners.

Type of DV Homicide




DV Homicide Victims' Relationship to Perpetrator




Domestic violence homicide victims were largely shot or stabbed. Of the three domestic violence homicide/suicides in this period, all were shootings.

The majority (**63%**) of all domestic violence homicides occurred in Wards 7 and 8.

Primary Manner of Homicide






Please note numbers may not total 100% due to rounding. Demographic information on two perpetrators is unknown.

INTIMATE PARTNER HOMICIDE 5-Year Trends: 2018-2022

The District of Columbia had 35 intimate partner homicides (IPH) from 2018-2022.

Victims and perpetrators of IPH ranged broadly in age.

For victims, the median age was **34** and the average was **37**. For perpetrators, the median age was **37** and the average was **39**.



The youngest victim was 16 years old and the oldest was 71.




The youngest perpetrator was 18 years old and the oldest was 66.


IPH victims were more likely to be women (83%) than men (17%). Both perpetrators and victims were majority Black.

(Term *Hispanic* based on MPD data collection category)

IPH Victims by Gender & Race




IPH Perpetrators by Gender & Race




More than **3/4** of IPH victims were in a current relationship with the perpetrator. Nearly **1/4** were former partners.

91% of IPH victims were stabbed or shot.


IPH Victims' Relationship to Perpetrator



Primary Manner of Homicide



IPH deaths occurred in every ward. Ward 8 had the highest IPH, with 12 intimate partner homicides; the second highest was Ward 7, with 7.



Please note numbers may not total 100% due to rounding.

NON-IPH DOMESTIC VIOLENCE HOMICIDE

5-Year Trends: 2018-2022

The District of Columbia had **40** domestic violence homicides that did **not** involve intimate partners from 2018-2022.

While non-IPH domestic violence homicide victims ranged in age from their teens through 8Os, the oldest perpetrator was 62.

For victims, the median age was **36** and the average was **41**. For perpetrators, the median age was **30** and the average was **32**.



The youngest victim was **16** years old and the oldest was **80**.




The youngest perpetrator was **15** years old and the oldest was **62**.


The majority of non-IPH domestic violence homicide victims and perpetrators were Black men (75% and 84%, respectively).

(Term *Hispanic* based on MPD data collection category)

Non-IPH Victims by Gender & Race




Non-IPH Perpetrators by Gender & Race




More than one-third (37%) of non-IPH domestic violence homicides were committed by a relative. The remainder (62%) were committed by roommates or third parties to a romantic relationship.


Non-IPH Victims' Relationship to Perpetrator



Primary Manner of Homicide



Non-IPH domestic violence homicides occurred in every ward but Ward 2. Wards 7 and 8 had significantly more homicides (15 and 13, respectively) than the third highest ward, Ward 5 (5). Ward 7 had twice as much non-IPH (15) as IPH (7).



Please note numbers may not total 100% due to rounding. Demographic information on two perpetrators is unknown.





